

**Safety Data Sheet
acc. to OSHA HCS**

Printing date 08/12/2014

Version 2

Reviewed on 08/12/2014

1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier** Polyken VE Wrap Primer
 - **Trade name:** Polyken VE Wrap Primer
- **Relevant identified uses of the substance or mixture and uses advised against** Not applicable
 - **Sector of Use**
SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
 - **Application of the substance / the mixture** Corrosion preventing coating
- **Details of the supplier of the safety data sheet**
 - **Manufacturer/Supplier:** Seal For Life Industries - Polyken™
 - **Contact details**

Seal For Life Industries - Stopaq B.V.
Gasselterstraat 20, 9503JB Stadskanaal, the Netherlands
Tel +31 599 696 170, Fax +31 599 696 177, info@sealforlife.com
 - **Information department:** Product safety department of manufacturer / supplier
- **Emergency telephone number:**
Tel: +31 (0) 599 696 170 (during office hours)
Fax: +31 (0) 599 696 177

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS08 Health hazard

Carc. 1A H350 May cause cancer. Route of exposure: Inhalative.

- **Label elements**

- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS08

- **Signal word** Danger

- **Hazard-determining components of labeling:**

Quartz (SiO₂)

- **Hazard statements**

May cause cancer. Route of exposure: Inhalative.

- **Precautionary statements**

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Use personal protective equipment as required.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

IF exposed or concerned: Get medical advice/attention.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

**Safety Data Sheet
acc. to OSHA HCS**

Printing date 08/12/2014

Version 2

Reviewed on 08/12/2014

Trade name: Polyken VE Wrap Primer

(Contd. of page 1)

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



· **HMS-ratings (scale 0 - 4)**



· **Other hazards**

· **Results of PBT and vPvB assessment**

- **PBT:** Not available.
- **vPvB:** Not available.

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

14808-60-7	Quartz (SiO ₂) ☠ Carc. 1A, H350; STOT RE 1, H372-H373; ☠ Acute Tox. 4, H302; Acute Tox. 4, H332	≤0.5%
------------	--	-------

4 First-aid measures

· **Description of first aid measures**

- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**
Generally the product does not irritate the skin.
After contact with the heated product:
Keep cool with water until medical assistance has arrived
Call a doctor immediately.
Do not pull solidified product away from the skin.
Cover wound with a sterile dressing.
- **After eye contact:**
In case of contact with the molten product:
Flush eyes with cold water and continue flushing until medical assistance has arrived
Call a doctor immediately.
- **After swallowing:** If symptoms persist consult doctor.
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

· **Extinguishing media**

· **Suitable extinguishing agents:**

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· **Special hazards arising from the substance or mixture**

Carbon monoxide (CO)
Carbon dioxide (CO₂)

(Contd. on page 3)

**Safety Data Sheet
acc. to OSHA HCS**

Printing date 08/12/2014

Version 2

Reviewed on 08/12/2014

Trade name: Polyken VE Wrap Primer

(Contd. of page 2)

- **Advice for firefighters**
 - **Protective equipment:**
 - Wear self-contained respiratory protective device.
 - Wear fully protective suit.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** No special measures required.
- **Methods and material for containment and cleaning up:** Pick up mechanically.
- **Reference to other sections**
 - No dangerous substances are released.
 - See Section 7 for information on safe handling.
 - See Section 8 for information on personal protection equipment.
 - See Section 13 for disposal information.

7 Handling and storage

- **Precautions for safe handling** No special measures required.
 - **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
 - **Storage:**
 - **Requirements to be met by storerooms and receptacles:** No special requirements.
 - **Information about storage in one common storage facility:** Not required.
 - **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
 - **Components with limit values that require monitoring at the workplace:**
 - The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
 - **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
 - **Personal protective equipment:**
 - **General protective and hygienic measures:**
 - The usual precautionary measures for handling chemicals should be followed.
 - **Breathing equipment:** Not required.
 - **Protection of hands:**
 - No chemical-protective gloves required.
 - To avoid small injuries, use gloves that protect against cutting from sharp edges of the release foil.
 - **Eye protection:** Not required.

9 Physical and chemical properties

- **Information on basic physical and chemical properties**
 - **General Information**
 - **Appearance:**
 - **Form:** Pasty

(Contd. on page 4)

**Safety Data Sheet
acc. to OSHA HCS**

Printing date 08/12/2014

Version 2

Reviewed on 08/12/2014

Trade name: Polyken VE Wrap Primer

(Contd. of page 3)

· Color:	Light grey
· Odor:	Odorless
· Odour threshold:	Not determined.
· pH-value:	Not applicable.
· Change in condition	
· Melting point/Melting range:	Undetermined.
· Boiling point/Boiling range:	Undetermined.
· Flash point:	101 °C (214 °F)
· Flammability (solid, gaseous):	Not determined.
· Ignition temperature:	340 °C (644 °F)
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
· Lower:	Not determined.
· Upper:	Not determined.
· Vapor pressure:	Not applicable.
· Density at 20 °C (68 °F):	1.5 g/cm ³ (12.518 lbs/gal)
· Relative density	Not determined.
· Vapour density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
· Water:	Insoluble.
· Segregation coefficient (n-octanol/water):	Not determined.
· Viscosity:	
· Dynamic:	Not applicable.
· Kinematic:	Not applicable.
· Solvent content:	
· Organic solvents:	0.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

- Reactivity
- Chemical stability
 - **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- Information on toxicological effects
 - Acute toxicity:
 - **LD/LC50 values that are relevant for classification:** No information available

(Contd. on page 5)

**Safety Data Sheet
acc. to OSHA HCS**

Printing date 08/12/2014

Version 2

Reviewed on 08/12/2014

Trade name: Polyken VE Wrap Primer

(Contd. of page 4)

- **Primary irritant effect:**
 - **on the skin:** No irritant effect.
 - **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.

· **Additional toxicological information:**

The product is not subject to classification according to internally approved calculation methods for preparations: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· **Carcinogenic categories**

· IARC (International Agency for Research on Cancer)		
14808-60-7	Quartz (SiO ₂)	1
· NTP (National Toxicology Program)		
14808-60-7	Quartz (SiO ₂)	K
· OSHA-Ca (Occupational Safety & Health Administration)		
None of the ingredients is listed.		

12 Ecological information

- **Toxicity**
 - **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Results of PBT and vPvB assessment**
 - **PBT:** Not available.
 - **vPvB:** Not available.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
 - **Recommendation:** Dispose safely in accordance with local and national legislations
- **Uncleaned packagings:**
 - **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· UN-Number	
· DOT, ADR, ADN, IMDG, IATA	Void
· UN proper shipping name	
· DOT, ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· DOT, ADR, ADN, IMDG, IATA	
· Class	Void
· Packing group	
· DOT, ADR, IMDG, IATA	Void
· Environmental hazards:	
· Marine pollutant:	No

(Contd. on page 6)

**Safety Data Sheet
acc. to OSHA HCS**

Printing date 08/12/2014

Version 2

Reviewed on 08/12/2014

Trade name: Polyken VE Wrap Primer

(Contd. of page 5)

· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	-

*** 15 Regulatory information**

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

· Section 355 (extremely hazardous substances):
None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):
None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):
All ingredients of this product are included, or are exempted from inclusion in the EPA Toxic Substances Control Act (TSCA) Chemical Substance Inventory

- **Proposition 65**

· Chemicals known to cause cancer:
14808-60-7 Quartz (SiO ₂)

· Chemicals known to cause reproductive toxicity for females:
None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:
None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:
None of the ingredients is listed.

- **Carcinogenic categories**

· EPA (Environmental Protection Agency)
None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)	
14808-60-7 Quartz (SiO ₂)	A2

· NIOSH-Ca (National Institute for Occupational Safety and Health)
14808-60-7 Quartz (SiO ₂)

- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS08

- **Signal word** Danger

- **Hazard-determining components of labeling:**

Quartz (SiO₂)

- **Hazard statements**

May cause cancer. Route of exposure: Inhalative.

- **Precautionary statements**

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

(Contd. on page 7)

**Safety Data Sheet
acc. to OSHA HCS**

Printing date 08/12/2014

Version 2

Reviewed on 08/12/2014

Trade name: Polyken VE Wrap Primer

(Contd. of page 6)

Read label before use.

Use personal protective equipment as required.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

IF exposed or concerned: Get medical advice/attention.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Product safety department

· **Contact:**

Seal For Life Technologies & Services B.V.

Gasselterstraat 20, 9503JB Stadskanaal, the Netherlands

Tel: +31 599 696 170; Fax: +31 599 696 177; Email: info@sealforlife.com

· **Date of preparation / last revision** 08/12/2014 / 1

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Acute Tox. 4: Acute toxicity, Hazard Category 4

Carc. 1A: Carcinogenicity, Hazard Category 1A

STOT RE 1: Specific target organ toxicity - Repeated exposure, Hazard Category 1

· *** Data compared to the previous version altered.**